

Europe



Brave Tern | Track record | Installation projects

No.	Site	Vessel	Client	Turbine model	Year
23	St. Brieuc	Brave Tern	SGRE	SG 8.0MW 167	2023
22	Formosa 2	Brave Tern	SGRE	SG 8.0MW 167	2023
21	Yunlin	Brave Tern	SGRE	SG 8.0MW 167	2023
18	Yunlin OWF	Brave Tern	SGRE	SG 8.0MW 167	2022
11	Albatros	Brave Tern & Bold Tern	SGRE	SG 7.0MW 154	2022
10	Hohe See	Brave Tern & Bold Tern	SGRE	SG 7.0MW 154	2021
9	Horns Reef 3	Brave Tern	MHI Vestas	V164-8.0MW	2019
7	Wikingen	Brave Tern	Adwen	Adwen M5000 135	2018
4	Block Island	Brave Tern	Deepwater Wind	GE Haliade 6.0 MW 150	2017
3	Global Tech 1	Brave Tern & Bold Tern	Areva	Areva 5.0MW 116	2017

With the best vessels, our qualified experts and experienced crews, we ensure your project is a success and your installation is competitive across its entire lifecycle. *Delivering dependable and predictable outcomes at every stage.*


Fred. Olsen Windcarrier
 Tollbugata 1B
 P.O.Box: 1159 Sentrum, Oslo, NO
 Phone: +47 22 34 10 00
 Mail: info@windcarrier.com
 Web: windcarrier.com

Brave Tern



Brave Tern

Services any turbine on the market



Brave Tern | Specs

Length [m]	132	Water depth range [m]:	7.5 to 55
Hull breadth mid [m]:	45	Crane:	Huisman LEC 65500 around aft port leg
Propulsion:	Max speed of 12 knots, DP2	Max variable load [t]:	9,000

Brave Tern - services any turbine on the market

Brave Tern is a self-elevating and self-propelled jack-up offshore wind turbine installation vessel, designed to meet the highest possible standards of operation and safety. She is continuously upgraded to maximise efficiency, guaranteeing you cost-effective installations.

With an 1,600-ton Huisman LEC 65500 around aft port leg crane and 3,600m² of open deck space, the installation vessel can transport, lift, and install any turbine on the market today. Its DP2-class dynamic positioning system and Voith Schneider propulsion system provide secure and accurate positioning. Up to 104 people in 68 cabins can enjoy high-quality accommodation onboard, while the helideck makes for easy transfers during offshore wind turbine operations.

